



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089

Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Grilles to cover duct sizes 4" Tall & 6" Tall

<i>Louis XIV</i> part number	<i>duct</i> height	<i>size</i> length	<i>total</i> height	<i>size</i> length	<i>depth</i> thickness	<i>weight</i> actual	<i>weight</i> shipping	<i>free air flow</i> sq inches	<i>%</i>
RR-203 04x08LT	4	8	6	10	0.4	0.35	2	15.7	63
RR-203 04x10LT	4	10	6	12	0.4	0.5	3	19.9	63
RR-203 04x12LT	4	12	6	14	0.4	0.6	3	24.2	63
RR-203 04x14LT	4	14	6	16	0.4	0.7	4	28.4	63
RR-203 04x16LT	4	16	6	18	0.4	1	4	32.7	63
RR-203 04x20LT	4	20	6	22	0.425	1.75	7	41.2	63
RR-203 04x24LT	4	24	6	26	0.425	2.25	8	49.7	63
RR-203 04x30LT	4	30	6	32	0.425	0.9	4	62.5	63
RR-203 06x06LT	6	6	8	8	0.4	0.5	3	18.2	63
RR-203 06x08LT	6	8	8	10	0.4	0.7	3	25	63
RR-203 06x10LT	6	10	8	12	0.4	0.8	3	31.7	63
RR-203 06x12LT	6	12	8	14	0.4	1	4	38.5	63
RR-203 06x14LT	6	14	8	16	0.4	1.25	5	45.3	63
RR-203 06x16LT	6	18	8	18	.4	1.5	6	52	63
RR-203 06x20LT	6	20	8	24	.4	2	7	65.6	63
RR-203 06x24LT	6	24	8	26	0.425	2.375	8	79.6	63
RR-203 06x30LT	6	30	8	32	0.425	2.75	10	99.5	63



RR-203 04x20LT



RR-203 04x14LT



RR-203 04x10LT



RR-203 06x30LT



RR-203 06x14LT



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089

Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Grilles to cover duct sizes, 8" Tall & 10" Tall

<i>Louis XIV</i> part number	<i>duct</i> height	<i>size</i> length	<i>total</i> height	<i>size</i> length	<i>depth</i> thickness	<i>weight</i> actual	<i>weight</i> shipping	<i>free air flow</i> sq inches	<i>%</i>
RR-203 08x08LT	8	8	10	10	0.4	.8	4	34.3	63
RR-203 08x10LT	8	10	10	12	0.4	1	4	43.6	63
RR-203 08x12LT	8	12	10	14	0.4	1.25	5	52.9	63
RR-203 08x14LT	8	14	10	16	0.4	1.5	6	62.1	63
RR-203 08x16LT	8	16	10	18	0.4	1.75	6	71.4	63
RR-203 08x18LT	8	18	10	20	0.4	2	7	80.7	63
RR-203 08x20LT	8	20	10	22	0.4	2.5	8	90	63
RR-203 08x24LT	8	24	10	26	.425	2.9	11	108.6	63
RR-203 08x30LT	8	30	10	32	0.425	3.2	13	136.5	63
RR-203 10x10LT	10	10	12	12	0.4	1.2	5	55.4	63
RR-203 10x14LT	10	14	12	16	0.4	1.6	6	79	63
RR-203 10x16LT	10	16	12	18	0.425	1.9	8	90.8	63
RR-203 10x18LT	10	18	12	20	.425	2.4	10	102.6	63
RR-203 10x20LT	10	20	12	22	.425	2.7	11	114.4	63
RR-203 10x24LT	10	24	12	26	.425	3	12.5	138	63
RR-203 10x30LT	10	24	12	26	0.425	3.6	14	173.5	63



RR-203 08x14LT



RR-203 08x30T



RR-203 10x20LT



RR-203 10x16LT



RR-203 08x08LT



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089

Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Grilles to cover duct sizes 12" Tall to 24" Tall x 30 Wide

<i>Louis XIV</i> part number	<i>duct</i> height	<i>size</i> length	<i>total</i> height	<i>size</i> length	<i>depth</i> thickness	<i>weight</i> actual	<i>weight</i> shipping	<i>free air flow</i> sq inches	<i>%</i>
RR-203 12x12LT	12	12	14	14	0.4	1.6	6	81.5	63
RR-203 12x16LT	12	16	14	18	0.425	2.1	8	110.2	63
RR-203 12x20LT	12	20	14	22	0.425	2.7	11	138.8	63
RR-203 12x24LT	12	24	14	26	0.425	3.25	11	167.5	63
RR-203 12x30LT	12	30	14	32	0.425	3.75	15	210.5	63
RR-203 14x14LT	14	14	16	16	0.4	2.25	8	112.7	63
RR-203 14x20LT	14	20	16	22	0.425	2.8	10	163.3	63
RR-203 14x24LT	14	24	16	26	0.425	3.5	12	197	63
RR-203 14x30LT	14	30	16	32	0.425	4	16	247.5	63
RR-203 16x16LT	16	16	18	18	0.425	3	11	148.9	63
RR-203 16x20LT	16	20	18	22	0.425	3.5	12	187.7	63
RR-203 16x24LT	16	24	18	26	0.425	4	16	226.4	63
RR-203 16x30LT	16	30	18	32	0.425	4.5	20	284.5	63
RR-203 18x18LT	18	18	20	20	.425	3.5	12	190.2	63
RR-203 20x12LT	20	12	22	14	0.425	2.8	10	138.8	63
RR-203 20x14LT	20	14	22	16	0.425	3.25	12	163.3	63
RR-203 20x16LT	20	16	22	18	.0425	3.75	15	187.7	63
RR-203 20x20LT	20	20	22	22	0.425	5	20	236.5	63
RR-203 20x24LT	20	24	22	26	0.425	6	22	285.3	63
RR-203 20x30LT	20	30	22	32	0.45	7	24	358.6	63
RR-203 24x14LT	24	14	26	16	0.45	3.5	12	197	63
RR-203 24x16LT	24	16	26	18	0.45	3.75	15	226.4	63
RR-203 24x20LT	24	20	26	22	0.45	5.7	19	285.3	63
RR-203 24x24LT	24	24	26	26	0.45	7	24	344.2	63
RR-203 24x30LT	24	30	26	32	0.45	8	40	432.6	63




RR-203 20x14LT



RR-203 16x24LT



RR-203 20x20LT



RR-203 20x30LT



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x08LT



<i>part number</i>	RR-203 04x08LT	<i>to cover duct size</i>	04" x 08"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	.5lb / 3lbs
<i>style</i>	Louis XIV	<i>outside width</i>	10"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>Free air flow</i>	15.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x10LT



<i>part number</i>	RR-203 04x10LT	<i>to cover duct size</i>	04" x 10"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	.6lb / 3lbs
<i>style</i>	Louis XIV	<i>outside width</i>	12"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>Free air flow</i>	19.9 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x12LT



<i>part number</i>	RR-203 04x12LT	<i>to cover duct size</i>	04" x 12"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	.8lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	14"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>Free air flow</i>	24.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x14LT



<i>part number</i>	RR-203 04x14LT	<i>to cover duct size</i>	04" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	11lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	28.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x16LT



<i>part number</i>	RR-203 04x16LT	<i>to cover duct size</i>	04" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	1.25lb / 5lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	32.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x20LT



<i>part number</i>	RR-203 04x20LT	<i>to cover duct size</i>	04" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	1.4lb / 6lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x24LT



<i>part number</i>	RR-203 04x24LT	<i>to cover duct size</i>	04" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	1.7lbs/ 5lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	49.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 04x30LT



<i>part number</i>	RR-203 04x30LT	<i>to cover duct size</i>	04" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	6"	<i>weight / shipping weight</i>	2lbs/ 7lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	62.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x06LT



<i>part number</i>	RR-203 06x06LT	<i>to cover duct size</i>	06" x 06"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	.5lb / 2lbs
<i>style</i>	Louis XIV	<i>outside width</i>	8"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	5-3/8"	<i>Free air flow</i>	18.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x08LT



<i>part number</i>	RR-203 06x08LT	<i>to cover duct size</i>	06" x 08"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	.7lb / 3lbs
<i>style</i>	Louis XIV	<i>outside width</i>	10"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>Free air flow</i>	25 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x10LT



<i>part number</i>	RR-203 06x10LT	<i>to cover duct size</i>	06" x 10"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	.8lb / 3lbs
<i>style</i>	Louis XIV	<i>outside width</i>	12"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>Free air flow</i>	31.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x12LT



<i>part number</i>	RR-203 06x12LT	<i>to cover duct size</i>	06" x 12"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	11lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	14"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>Free air flow</i>	38.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x14LT



<i>part number</i>	RR-203 06x14LT	<i>to cover duct size</i>	06" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	1.25lb / 5lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	45.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089

Fax: 503-223-1312


www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x16LT

Not available at this time



<i>part number</i>	RR-203 06x16LT	<i>to cover duct size</i>	06" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	1.5lb / 6lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	52 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x20LT



<i>part number</i>	RR-203 06x20LT	<i>to cover duct size</i>	06" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	2lbs / 7lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	65.6 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x24LT



<i>part number</i>	RR-203 06x24LT	<i>to cover duct size</i>	06" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	2.375lb / 8lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	79.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 06x30LT



<i>part number</i>	RR-203 06x30LT	<i>to cover duct size</i>	06" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	8"	<i>weight / shipping weight</i>	2.75lb / 10lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	99.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x08LT



<i>part number</i>	RR-203 08x08LT	<i>to cover duct size</i>	08" x 08"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	.8lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	10"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>Free air flow</i>	34.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x10LT



<i>part number</i>	RR-203 08x10LT	<i>to cover duct size</i>	8" x 10"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	1lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	12"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>Free air flow</i>	sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x12LT



<i>part number</i>	RR-203 08x12LT	<i>to cover duct size</i>	08" x 12"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.25lb / 5lbs
<i>style</i>	Louis XIV	<i>outside width</i>	14"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>Free air flow</i>	52.9 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x14LT



<i>part number</i>	RR-203 08x14LT	<i>to cover duct size</i>	08" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.5 lb / 6 lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	62.1 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x16LT



<i>part number</i>	RR-203 08x16LT	<i>to cover duct size</i>	08" x 16"	<i>finishes available</i>	13
		<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.8 lb / 7 lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	71.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x18LT



<i>part number</i>	RR-203 08x18LT	<i>to cover duct size</i>	08" x 18"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	2b / 7lbs
<i>style</i>	Louis XIV	<i>outside width</i>	20"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	6/6
<i>function</i>	HVAC Grille	<i>inside width</i>	17-3/8"	<i>Free air flow</i>	80.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x20LT



<i>part number</i>	RR-203 08x20LT	<i>to cover duct size</i>	08" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	2.5b / 9lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	90 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x24LT



<i>part number</i>	RR-203 08x24LT	<i>to cover duct size</i>	08" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	2.5b / 9lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	6/6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	108.6 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 08x30LT



<i>part number</i>	RR-203 08x30LT	<i>to cover duct size</i>	08" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	3.2b /12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	136.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 10x10LT



<i>part number</i>	RR-203 10x10LT	<i>to cover duct size</i>	10" x 10"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.2lb / 5lbs
<i>style</i>	Louis XIV	<i>outside width</i>	12"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>Free air flow</i>	55.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 10x14LT



<i>part number</i>	RR-203 10x14LT	<i>to cover duct size</i>	10" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.6lbs / 6lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	79 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 10x16LT



<i>part number</i>	RR-203 10x16LT	<i>to cover duct size</i>	10" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.8lbs / 7lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	90.8sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 10x18LT



<i>part number</i>	RR-203 10x18LT	<i>to cover duct size</i>	10" x 18"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	2.4lbs / 10lbs
<i>style</i>	Louis XIV	<i>outside width</i>	20"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	17-3/8"	<i>Free air flow</i>	102.6 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 10x20LT



<i>part number</i>	RR-203 10x20LT	<i>to cover duct size</i>	10" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	2.7lbs / 11lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	114.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 10x24LT



<i>part number</i>	RR-203 10x24LT	<i>to cover duct size</i>	10" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	3.4lbs / 14lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	138 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 10x30LT



<i>part number</i>	RR-203 10x30LT	<i>to cover duct size</i>	10" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	3.6lbs / 14lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	173.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 12x12LT



<i>part number</i>	RR-203 12x12LT	<i>to cover duct size</i>	12" x 12"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	14"	<i>weight / shipping weight</i>	1.6lbs / 6lbs
<i>style</i>	Louis XIV	<i>outside width</i>	14"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>Free air flow</i>	81.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 12x16LT



<i>part number</i>	RR-203 12x20LT	<i>to cover duct size</i>	12" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	14"	<i>weight / shipping weight</i>	2.3lbs / 8lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	110.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 12x20LT



<i>part number</i>	RR-203 12x20LT	<i>to cover duct size</i>	12" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	14"	<i>weight / shipping weight</i>	2.7lbs / 9lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	138.8 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 12x24LT



<i>part number</i>	RR-203 12x24LT	<i>to cover duct size</i>	12" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	14"	<i>weight / shipping weight</i>	3.3lbs / 11lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	167.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 12x30LT



<i>part number</i>	RR-203 12x30LT	<i>to cover duct size</i>	12" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	14"	<i>weight / shipping weight</i>	4lbs / 15lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	210.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 14x14LT



<i>part number</i>	RR-203 14x14LT	<i>to cover duct size</i>	14" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	16"	<i>weight / shipping weight</i>	2.25lbs /8lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	112.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 14x20LT



<i>part number</i>	RR-203 14x20LT	<i>to cover duct size</i>	14" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	16"	<i>weight / shipping weight</i>	2.8lbs /10lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	163.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 14x24LT



<i>part number</i>	RR-203 14x24LT	<i>to cover duct size</i>	14" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	16"	<i>weight / shipping weight</i>	3.5lbs / 12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	197 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 14x30LT



<i>part number</i>	RR-203 14x30LT	<i>to cover duct size</i>	14" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	16"	<i>weight / shipping weight</i>	4lbs /18lbs
<i>style</i>	Louis XIV	<i>outside width</i>	30"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	247.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 16x16LT



<i>part number</i>	RR-203 16x16LT	<i>to cover duct size</i>	16" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	18"	<i>weight / shipping weight</i>	3lbs /11lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	148.9 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 16x20LT



<i>part number</i>	RR-203 16x20LT	<i>to cover duct size</i>	16" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	18"	<i>weight / shipping weight</i>	3.5lbs /12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	187.7sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 16x24LT



<i>part number</i>	RR-203 16x24LT	<i>to cover duct size</i>	16" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	18"	<i>weight / shipping weight</i>	4lbs /16lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	187.7sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 16x30LT



<i>part number</i>	RR-203 16x30LT	<i>to cover duct size</i>	16" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	18"	<i>weight / shipping weight</i>	4.5lbs /20lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	15-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	284.5sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089

Fax: 503-223-1312


www.houseofantiquehardware.com

info@houseofantiquehardware.com


802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 18x18LT

Not available at this time



20"



20"

.425"

<i>part number</i>	RR-203 18x18LT	<i>to cover duct size</i>	18" x 18"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	20"	<i>weight / shipping weight</i>	3.5lbs /12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	20"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	17-3/8"	<i>predrilled screw holes/ Screws</i>	8 /8
<i>function</i>	HVAC Grille	<i>inside width</i>	17-3/8"	<i>Free air flow</i>	190.2sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 20x12LT



<i>part number</i>	RR-203 20x12LT	<i>to cover duct size</i>	20" x 12"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	22"	<i>weight / shipping weight</i>	2.6lbs /8lbs
<i>style</i>	Louis XIV	<i>outside width</i>	14"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>Free air flow</i>	138.8 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 20x14LT



<i>part number</i>	RR-203 20x14LT	<i>to cover duct size</i>	20" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	22"	<i>weight / shipping weight</i>	2.5lbs / 9lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	163.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 20x16LT



<i>part number</i>	RR-203 20x16LT	<i>to cover duct size</i>	20" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	22"	<i>weight / shipping weight</i>	2.5lbs / 9lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	187.7sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 20x20LT



<i>part number</i>	RR-203 20x20LT	<i>to cover duct size</i>	20" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	22"	<i>weight / shipping weight</i>	5lbs / 19lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes/ Screws</i>	8/8
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	236.5sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 20x24LT



<i>part number</i>	RR-203 20x24LT	<i>to cover duct size</i>	20" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	22"	<i>weight / shipping weight</i>	5lbs / 19lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.425"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes/ Screws</i>	8/8
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	285.3sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 20x30LT



<i>part number</i>	RR-203 20x30LT	<i>to cover duct size</i>	20" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	22"	<i>weight / shipping weight</i>	7lbs / 24lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes/ Screws</i>	8 / 8
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	358.6 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 24x14LT



<i>part number</i>	RR-203 24x14LT	<i>to cover duct size</i>	24" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	26"	<i>weight / shipping weight</i>	3.5lbs / 12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	197 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 24x16LT



<i>part number</i>	RR-203 24x16LT	<i>to cover duct size</i>	24" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	26"	<i>weight / shipping weight</i>	4lbs / 16lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes/ Screws</i>	8/8
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	285.3sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 24x20LT



<i>part number</i>	RR-203 24x20LT	<i>to cover duct size</i>	24" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	26"	<i>weight / shipping weight</i>	5.7lbs / 19lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes/ Screws</i>	8/8
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	285.3sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 24x24LT



<i>part number</i>	RR-203 24x24LT	<i>to cover duct size</i>	24" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	26"	<i>weight / shipping weight</i>	7lbs / 24lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes/ Screws</i>	8/8
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	344.2sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



HOUSE OF ANTIQUE HARDWARE

Toll Free: 888-223-2545

Phone: 503-231-4089


Fax: 503-223-1312

www.houseofantiquehardware.com

info@houseofantiquehardware.com

802 NE Davis Street, Portland OR 97252

Louis XIV Style Grille: RR-203 24x30LT



<i>part number</i>	RR-203 24x30LT	<i>to cover duct size</i>	24" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	26"	<i>weight / shipping weight</i>	8lbs / 40lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes/ Screws</i>	8/8
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	432.60 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"		

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	180 degrees F	80

These grilles are designed for wall and ceiling use only, and are **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.