



CARTWRIGHT 3395GV
GALVANIZED

WIDTH:	19.5"
HEIGHT:	25.0"
WEIGHT:	12.3 LBS
MATERIAL:	STEEL
CANOPY:	5" DIA.
SOCKET:	3-100W MED
MAX HEIGHT:	59.5"
LEADWIRE:	120.0"
DOWN RODS:	1-6", 2-12"
CERTIFICATION:	C-US DRY RATED
VOLTAGE:	120V
UPC:	640665339505
INSTALL OPTIONS:	UP, INSTALL ON SLOPED CEILING 90°

AT HINKLEY, WE EMBRACE THE DESIGN PHILOSOPHY THAT YOU CAN MERGE TOGETHER THE LIGHTING, FURNITURE, ART, COLORS AND ACCESSORIES YOU LOVE INTO A BEAUTIFUL ENVIRONMENT THAT DEFINES YOUR OWN PERSONAL STYLE. WE HOPE YOU WILL BE INSPIRED BY OUR COMMITMENT TO KEEP YOUR 'LIFE AGLOW.'

*life*AGLOW®



CARTWRIGHT 3395PL
POLISHED ANTIQUE NICKEL

WIDTH:	19.5"
HEIGHT:	25.0"
WEIGHT:	12.3 LBS
MATERIAL:	STEEL
CANOPY:	5" DIA.
SOCKET:	3-100W MED
MAX HEIGHT:	59.5"
LEADWIRE:	120.0"
DOWN RODS:	1-6", 2-12"
CERTIFICATION:	C-US DRY RATED
VOLTAGE:	120V
UPC:	640665339512
INSTALL OPTIONS:	UP, INSTALL ON SLOPED CEILING 90°

AT HINKLEY, WE EMBRACE THE DESIGN PHILOSOPHY THAT YOU CAN MERGE TOGETHER THE LIGHTING, FURNITURE, ART, COLORS AND ACCESSORIES YOU LOVE INTO A BEAUTIFUL ENVIRONMENT THAT DEFINES YOUR OWN PERSONAL STYLE. WE HOPE YOU WILL BE INSPIRED BY OUR COMMITMENT TO KEEP YOUR 'LIFE AGLOW.'

*life*AGLOW®



CARTWRIGHT 3395RS
RUSTIC BRASS

WIDTH:	19.5"
HEIGHT:	25.0"
WEIGHT:	12.3 LBS
MATERIAL:	STEEL
CANOPY:	5" DIA.
SOCKET:	3-100W MED
MAX HEIGHT:	59.5"
LEADWIRE:	120.0"
DOWN RODS:	1-6", 2-12"
CERTIFICATION:	C-US DRY RATED
VOLTAGE:	120V
UPC:	640665339529
INSTALL OPTIONS:	UP, INSTALL ON SLOPED CEILING 90°

AT HINKLEY, WE EMBRACE THE DESIGN PHILOSOPHY THAT YOU CAN MERGE TOGETHER THE LIGHTING, FURNITURE, ART, COLORS AND ACCESSORIES YOU LOVE INTO A BEAUTIFUL ENVIRONMENT THAT DEFINES YOUR OWN PERSONAL STYLE. WE HOPE YOU WILL BE INSPIRED BY OUR COMMITMENT TO KEEP YOUR 'LIFE AGLOW.'

*life*AGLOW®